

DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) No. 305/2011



No. Intustrap - 20171212

- 1. Unique identification code of the product-type:** Intustrap
- 2. Intended use/es:** Is a pipe wrap of intumescent material used to reinstate the fire resistance performance of wall and floor constructions where they have been provided with apertures for the penetration pipes.
- 3. Manufacturer:** tremco illbruck Limited, Coupland Road, Hindley Green, Wigan, WN2 4HT
- 5. System/s of AVCP:** System 1
- 6. European Assessment Document:** ETAG 026 edition 2011 used as EAD
European Technical Assessment: ETA 17/0414 of 27/11/2017
Technical Assessment Body: CPR Notified Body UL International (UK) Ltd, NB 0843
Notified body/ies: CPR Notified Body UL International (UK) Ltd, NB 0843
- 7. Declared performance/s**

| Basic Work Requirement | Performance |
|---|--|
| Mechanical resistance and stability | |
| None | Not relevant |
| Safety in case of fire | |
| Reaction to fire (EN 13501-1) | Class E |
| Resistance to fire (EN 13501-2) | See ETA17/0414 Annex A |
| Hygiene, Health and the Environment | |
| Air Permeability (EN 1026:2000) | NPD |
| Water Permeability (ETAG 026-3 Annex C) | NPD |
| Release of dangerous substances | Use categories: IA3, S/W3 Declaration of manufacturer |
| Safety in Use | |
| Mechanical Resistance and stability (EOTA TR001:2003) | NPD |
| Resistance to Impact / movement (EOTA TR001:2003) | NPD |
| Adhesion | NPD |
| Protection against noise | |
| Airborne Sound Insulation (EN10140-2 / EN ISO 717-1) | NPD |
| Energy, Economy and Heat Retention | |
| Thermal Properties (EN 12664, EN 12667 or EN 12939) | NPD |
| Water vapour permeability (EN ISO 12572 / EN 12086) | NPD |
| General Aspects Relating to fitness for use | |
| Durability and Serviceability (EOTA TR 024:2009) | Z ₁ |

NPD = No Performance Determined

DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) No. 305/2011



8. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Signed for and on behalf of the manufacturer by:

M. Liptrot, Business Unit Leader Sealants and Coatings

A handwritten signature in blue ink, appearing to read "M. Liptrot".

At Wigan on 9 October 2017

Annex:

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 a Safety Data sheet according Regulation (EU) No. 1907/2006 (REACH), Annex II is available on the website to support this Declaration of Performance.

DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) No. 305/2011



| | |
|---|--|
| CE | |
| tremco illbruck Limited, Coupland Road, Hindley Green, Wigan. WN2 4HT UK 17 0843-CPR-0377 Intustrap – 20171212 www.firetherm.com/Intustrap/ | |
| EN 1366-3: 2009 ETA 17-0414 ETAG 26, Part 2 Is a pipe wrap of intumescent material used to reinstate the fire resistance performance of wall and floor constructions where they have been provided with apertures for the penetration pipes. | |
| Essential Characteristic | Performance |
| Safety in Case of Fire | |
| Reaction to fire | Class E |
| Resistance to fire | See ETA17/0414 Annex A |
| Hygiene, Health and Environment | |
| Air Permeability (EN 1026:2000) | NPD |
| Release of dangerous substances | Use categories: IA3, S/W3 Declaration of manufacturer |
| Safety in use | |
| Mechanical resistance and stability | NPD |
| Resistance to impact/movement | NPD |
| Adhesion | NPD |
| Protection against noise | |
| Airborne sound insulation | NPD |
| Energy, Economy and Heat Retention | |
| Thermal properties | NPD |
| Water vapour permeability | NPD |
| General aspects relating to fitness for use | |
| Service & Durability | Z ₁ |